



SAFETY DATA SHEET (SDS)

Sac305 Solder Alloy Sn96.5Ag3Cu.05 (Acid core Wire)

Date: 1/1/2020

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Sac305 Solder Alloy Sn96.5Ag3Cu0.5 (Acid Core Wire)

CAS No: 7440-31-5 Tin (Sn)

Index No:

EC No: 231-141-8

CAS No: 7440-50-8 Copper (Cu)

Index number:

EC number:

CAS No: 7440-22-4 Silver (Ag)

Index number:

EC number: 231-131-3

CAS No: 7646-85-7 Zinc Chloride

Index number:

EC number: 231-592-0

RECOMMENDED USE: Solder

Details of the supplier of the safety data sheet:

MANUFACTURER

Amerway Inc.
3701 Beale Ave.,
Altoona, PA 16601

PHONE: 814-944-0200

FAX PHONE: 814-944-1463

EMERGENCY TELEPHONE NUMBER:

CHEMTREC: 800-424-9300

CHEMTREC (Outside US & Canada): 703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION OF CHEMICAL: This chemical is considered nonhazardous according to GHS classifications for the Hazard Communication Standard. Treat all chemicals with caution.

Although this material is considered to be nonhazardous, unpredictable reactions among chemicals are always possible. Prudent safety practices should be observed.

GHS PICTOGRAMS: None



GHS05

SIGNAL WORD: Warning



SAFETY DATA SHEET (SDS)

Sac305 Solder Alloy Sn96.5Ag3Cu.05 (Acid core Wire)

Date: 1/1/2020

HAZARD STATEMENT:

H411 Zinc Chloride-Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENT:

P264 Wash face, hands and any exposed skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT:

<u>CAS NO.</u>	<u>DESCRIPTION</u>	<u>% WT</u>
7440-31-5	Tin (Sn)	95-97
7440-22-4	Silver (Ag)	3-4
7440-50-8	Copper (Cu)	0-1
7646-85-7	Zinc Chloride	0-3
	Polyethylene Glycol	0-3

SECTION 4: FIRST AID MEASURES

EMERGENCY OVERVIEW: IF exposed or concerned: Get medical attention/advice

POTENTIAL HEALTH EFFECTS FOLLOWING

EYE CONTACT: Rinse immediately with plenty of water, also under eyelids, for at least 15 minutes.

SKIN CONTACT: Immediately wash with soap and water and rinse thoroughly, for at least 15 minutes.

INGESTION: Do not induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth

INHALATION: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Silver is Noncombustible solid. Combustible only as fine dust. When heated to decomposition, may emit toxic fumes. In case of fire: Use a tri-class dry chemical fire extinguisher.

UNSUITABLE EXTINGUISHING MEDIA: No information available

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: Thermal decomposition of Tin can lead to release of irritating gases and vapors.

HAZARDOUS DECOMPOSITION PRODUCTS: No information available.

NFPA HAZARD CLASSIFICATION


HEALTH: 1 **FLAMMABILITY:** 0 **REACTIVITY:** 0



SAFETY DATA SHEET (SDS)

Sac305 Solder Alloy Sn96.5Ag3Cu.05 (Acid core Wire)

Date: 1/1/2020



HMIS HAZARD CLASSIFICATION

HEALTH: 1

FLAMMABILITY: 0

REACTIVITY: 0

HEALTH	1
FIRE	0
REACTIVITY	0

SPECIAL FIRE FIGHTING EQUIPMENT/PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS AND PROTECTIVE EQUIPMENT: Ensure adequate ventilation.

ENVIRONMENTAL PRECAUTIONS: Prevent further leakage or spillage if safe to do so.

CONTAINMENT AND CLEANUP: Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7: HANDLING AND STORAGE

HANDLING: Avoid contact with skin and eyes Do not breathe dust Do not breathe vapors or spray mist.

STORAGE: Keep in a dry, cool and well-ventilated place Keep container tightly closed.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES:

ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

PERSONAL PROTECTIVE EQUIPMENT

SKIN AND BODY PROTECTION : Wear appropriate protective gloves and clothing to prevent skin exposure.

RESPIRATORY PROTECTION Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

EYE/FACE PROTECTION: Wear appropriate protective eyeglasses or chemical safety goggles.

WORK HYGIENIC PRACTICES: Handle in accordance with good industrial hygiene and safety practice.

EXPOSURE CONTROLS:

ACGIH TLV-TWA: Tin 2mg/cu ACGIH
2mg/cu m (inorganic) OSHA



SAFETY DATA SHEET (SDS)

Sac305 Solder Alloy Sn96.5Ag3Cu.05 (Acid core Wire)

Date: 1/1/2020

	0/1mg/cu m (organic) OSHA
Copper	0.1 mg/cu m ACGIH/OSHA
Silver	0.1mg/cu ACGIH/OSHA

COMPONENTS WITH LIMIT VALUES THAT REQUIRE MONITORING AT THE WORKPLACE:

7440-31-5 TIN (Sn)

PEL – Long term value: 2 mg/m3

REL – Long term value: 2 mg/m3

TLV – long term value: 2 mg/m3

7440-50-8 Copper (Cu)

PEL – Long term value: mg/m3 (Not listed)

REL – Long term value: mg/m3 (Not listed)

TLV – long term value: mg/m3 (Not listed)

7440-22-4 Silver (Ag)

PEL - Long term value: 0.01 mg/m3
metal and soluble compounds (as Ag)

REL - Long term value: 0.01 mg/m3

TLV - Long term value: 0.01 mg/m3
metal: dust and fume

NOTES:

PEL= Permissible Exposure Limit (OSHA)

TLV= Threshold Limit Value (ACGIH)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid

APPEARANCE: Silver grey

ODOR: Odorless

ODOR THRESHOLD:

pH Value (-g/l): N/A

MELTING POINT/RANGE: 183-238 °C (361-460 °F)

BOILING POINT/RANGE:

FLASH POINT:

FREEZING POINT/RANGE:

EVAPORATION RATE:

FLAMMABILITY (SOLID, GAS):



SAFETY DATA SHEET (SDS)

Sac305 Solder Alloy Sn96.5Ag3Cu.05 (Acid core Wire)

Date: 1/1/2020

FLAMMABILITY OR EXPLOSIVE LIMITS

UPPER:

LOWER:

VAPOR PRESSURE: Not applicable

VAPOR DENSITY: Not applicable

RELATIVE DENSITY: at 20 °C (68 °F): 8.4 – 9.3 g/cm³ (70.098 – 77.60 lbs/gal)

SOLUBILITY IN WATER: Insoluble

PARTITION COEFFICIENT; N-OCTANOL/WATER:

AUTOIGNITION TEMPERATURE:

DECOMPOSITION TEMPERATURE:

VISCOSITY:

MOLECULAR FORMULA:

MOLECULAR WEIGHT:

SOLVENT CONTENT: Organic solvents = 0/0%, Solid Content = 100.0%

SECTION 10: STABILITY AND REACTIVITY

REACTIVE HAZARD:

STABILITY: Stable under normal conditions.

HAZARDOUS REACTIONS: None under normal processing.

CONDITIONS TO AVOID: Incompatible products.

INCOMPATIBILITY (MATERIAL TO AVOID): Acids, Strong oxidizing agents, Strong bases, Halogens, Metals, oxygen.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None under normal use.

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity: No acute toxicity information is available for Tin; Harmful dust for silver..

Component Information

Toxicologically Synergistic No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

Carcinogenicity No information available

Mutagenic Effects: No information available

Reproductive Effects: No information available.

Developmental Effects: No information available.

Teratogenicity: No information available.

Aspiration hazard No information available

Symptoms / effects, both acute and delayed: No information available

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

PERSISTENCE AND DEGRADABILITY: No information available.



SAFETY DATA SHEET (SDS)

Sac305 Solder Alloy Sn96.5Ag3Cu.05 (Acid core Wire)

Date: 1/1/2020

BIOACCUMULATIVE POTENTIAL: No information available.

MOBILITY IN SOIL: No information available.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose of in accordance with local regulations.

SECTION 14: TRANSPORT INFORMATION

LAND TRANSPORT (DOT/ADR/RID)

UN/NA NUMBER: Not Regulated.
UN PROPER SHIPPING NAME: Not Regulated.
TRANSPORT HAZARD CLASS(ES): Not Regulated.
PACKING GROUP: Not Regulated.

INLAND WATERWAY TRANSPORT (ADN)

UN/NA NUMBER: Not Regulated.
UN PROPER SHIPPING NAME: Not Regulated.
TRANSPORT HAZARD CLASS(ES): Not Regulated.
PACKING GROUP: Not Regulated.

SEA TRANSPORT (IMDG)

UN/NA NUMBER: Not Regulated.
UN PROPER SHIPPING NAME: Not Regulated.
TRANSPORT HAZARD CLASS(ES): Not Regulated.
PACKING GROUP: Not Regulated.

AIR TRANSPORT (ICAO-TI/IATA-DGR)

UN/NA NUMBER: Not Regulated.
UN PROPER SHIPPING NAME: Not Regulated.
TRANSPORT HAZARD CLASS(ES): Not Regulated.
PACKING GROUP: Not Regulated.

SECTION 15: REGULATORY INFORMATION

U.S. Federal Regulations

TSCA 12(b) All components listed for the subject finished product are on the TSCA Inventory of Chemical Substances and are not subject to any chemical specific regulation under TSAC Section 12(b) export notification requirements delineated at 40 CFR part 707, subpart D.

All ingredients are listed or exempt from listing.

SARA 313 Substance is listed.

SARA 311/312 Hazardous Categorization

Acute Health Hazard
Chronic Health Hazard
Fire Hazard
Sudden Release of Pressure Hazard
Reactive Hazard



SAFETY DATA SHEET (SDS)

Sac305 Solder Alloy Sn96.5Ag3Cu.05 (Acid core Wire)

Date: 1/1/2020

Proposition 65

Chemicals known to cause cancer: None of the ingredients listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredients listed.

Chemicals known to cause developmental toxicity: None of the ingredients listed.

Carcinogenic Categories

EPA (Environmental Protection Agency):

TLV (Threshold Limit Value established by ACGIH)

NIOSH-Ca (National Institute of Occupational Safety and Health)

OSHA-Ca (Occupational Safety & Health Administration)

SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION

NAME: Terry Buck
COMPANY: Amerway, Inc.
EMAIL: tbuck@amerway.com

CREATION DATE: 01/01/2012

REVISION DATE: 11/25/2019

REVISION SUMMARY: This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

DISCLAIMER:

This information is given in good faith, no warranty, express or implied is made. Amerway Inc. makes no representations and assumes no responsibility as to the accuracy, completeness or suitability of this data for any purchasers use. The data on this Safety Data Sheet relates only to this product and does not relate to use with any other material or in any process. All chemical products should be used only by, or under the direction of, technically qualified personnel who are aware of the hazards involved and the necessity for reasonable care in handling. Hazard communication regulations require that employees must be trained on how to use a Safety Data Sheet as a source for hazard information.

End of SDS